



OUR GLOBAL  
COMPETENCE  
CENTRES

 APOLLO DISPLAY  
TECHNOLOGIES



 DISTEC



 DISPLAY  
TECHNOLOGY



# Datasheet

## Nexcom

### NDiS V1000


**Slim & Fanless industrial Box PC with AMD® Ryzen™ V1605B Embedded Processor**



---

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

---



## Main Features

- Onboard AMD V1605B APU processor
- Graphics operating at up to 1.1 GHz
- Dual DDR4 SO-DIMM, up to 32G
- Support 4 x HDMI 2.0 for video wall application
- Support M.2 M Key, 2280/2242 size storage device
- 4 x USB 3.0 support
- M.2 E key slot for optional Wi-Fi module
- 1 x Onboard TPM 2.0 IC

## Product Overview

NDiS V1000 is specifically designed to address the need for application to present high quality contents on video wall, central control room, and multi-display applications. NDiS V1000 provides 4 independent HDMI and 4 x USB 3.0 and dual GbE Ethernet with optional WLAN. Powered by the AMD V1605B processor, NDiS V1000 can smoothly playback multiple 4K@60Hz video clips and is an advanced media player for any applications to demonstrate high quality and high impact contents over multiple displays.

## Specifications

### CPU Support

- AMD Ryzen™ Embedded V1605B, TDP 15W

### Graphics

- AMD Radeon™ Vega 8

### Main Memory

- 2 x 260-pin SO-DIMM socket, support up to DDR4 2400/2666MHz, non-ECC, un-buffered memory up to 32GB

### I/O Interface-Front

- 1 x Storage active LED
- 1 x Power button
- 1 x RS232 (support RS232/422/485)

### I/O Interface-Rear

- 2 x Antenna hole
- 4 x USB 3.0
- 4 x HDMI 2.0 with resolution up to 4096 x 2160 @ 60Hz
- 2 x RJ45 with LEDs for Gigabit LAN (Intel® I211-AT)
- 1 x +12V DC-in Jack (4-pin)
- 1 x Audio Line-out

### Internal IO

- 3 x RS232 via box header
- 2 x USB 2.0 pin header
- GPIO connector

### Expansion

- 1 x M.2 E Key 2230, support optional Wi-Fi module

### Storage

- 1 x M.2 M Key 2242/2280 optional SATA 3.0 SSD

### Power Supply

- 1 x External 12+/-5% VDC, 120W Input, DC jack connector 4-pin


### Environment

- Operating temperature: 0°C to 40°C
- Storage temperature: -20°C to 80°C
- Humidity: 95% (non-condensing)

### Certification

- CE (EMC EN55032 +EN55024)
- FCC Class A (EMI part 15B)
- LVD

## Dimension Drawing



### Dimensions

- 190mm (L) x 200mm (W) x 54.4mm (H)

### Operating System Support

- Win10 64-bit/Linux4.1

## Ordering Information

- ♦ **NDiS V1000 (P/N: 10W00100000X4)**  
AMD V1605B Quad Processor Multi-Display Embedded Computer

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA. For more information please contact:

## Headquarters

### Germany



#### FORTEC Elektronik AG

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894450-0  
E-Mail: [info@forteca.de](mailto:info@forteca.de)  
Internet: [www.forteca.de](http://www.forteca.de)

## Fortec Group Members

### Austria



#### Distec GmbH Office Vienna

Nuschinggasse 12  
1230 Wien

Phone: +43 1 8673492-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Germany



#### Distec GmbH

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894363-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Switzerland



#### ALTRAC AG

Bahnhofstraße 3  
5436 Würenlos

Phone: +41 44 7446111  
E-Mail: [info@altrac.ch](mailto:info@altrac.ch)  
Internet: [www.altrac.ch](http://www.altrac.ch)

### United Kingdom



#### Display Technology Ltd.

Osprey House, 1 Osprey Court  
Hichingbrooke Business Park  
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600  
E-Mail: [info@displaytechnology.co.uk](mailto:info@displaytechnology.co.uk)  
Internet: [www.displaytechnology.co.uk](http://www.displaytechnology.co.uk)

### USA



#### Apollo Display Technologies, Corp.

87 Raynor Avenue,  
Unit 1 Ronkonkoma,  
NY 11779

Phone: +1 631 5804360  
E-Mail: [info@apolloDisplays.com](mailto:info@apolloDisplays.com)  
Internet: [www.apolloDisplays.com](http://www.apolloDisplays.com)