

for demanding use



FORTEC
GROUP

IP6Xseries

High Bright industrial monitor solution in 7.0" and 10.1"

One partner, unlimited technology solutions

Product Features

IP6Xseries



For demanding use

- IP6X ideal for industrial control and harsh environments, as well as dashboard interfaces, supermarkets, and restaurant ordering systems
- Equipped with IP65 protection, providing complete defense against particles and water projected from any direction
- Feature touch function and high brightness levels with 1500 | 1000 cd/m², making them sunlight-readable and perfect for outdoor use
- **High sensitivity of touch:** Wet touch can be controlled with 2 touch points, also support to operate with a wide range of gloves, such as rubber gloves and PVC gloves
- **Auto-Brightness Adjustment:** The screen brightness automatically adjusts based on ambient light, optimizing power consumption.
- **High-Quality LCD Screens:** Hardware engineers have selected top-tier industrial-grade LCDs, ensuring exceptional durability and a long working life.
- **Rugged Extension Cable:** Designed for waterproofing and dustproofing; includes HDMI and USB ports



IP65 all around



Resistant against
water and dust

High sensitivity
PCAP Touch

High Bright with
auto dimming


Panel and electric

IP6Xseries

		7.0 inch	10.1 inch
Article number		MO-01-131	MO-01-130
Panel Diagonal	[mm] / [Inch]	17.78/ 7.0	25.65/ 10.1
Type		Monitor complete designed	
Resolution	[Pixel]	1280 x 800	1920 x 1080
Luminance (cent./typ)	[cd/m ²]	1000	1500
Viewing angle (U/ D/ L/ R)	[°]	85/ 85/ 85/ 85	
Backlight		LED	
Active area (V/H)	[mm]	150.72 x 94.2	216.58 x 135.36
Number of colors	[M]	16.7	
Contrast ratio		800:1	4000 : 1
Resp. time (on/off)	[ms]	30	
Pixel class		ISO 9241-307 (pixel error class II)	
Life time back light until reaching half brightness	[h]	50.000	
Contin. operating time	[h] / [d]	24 7	
Touch		PCAP, 10 points	
Power consumption (max.)	[W]	8.5	130
Power supply	[VDC]	9 - 36	12 - 24
Housing		Plastic	
Mounting	[mm]	VESA 75 x 75	
Wall mount		2 mounting brackets for inwall mounting	
Dimensions (WxHxD)	[mm]	184.5 x 118.8 x 32	251 x 170 x 33



Monitor IP6X 10.1 back view



Monitor IP6X 10.1 front view

Housing

IP6Xseries

		7.0 inch	10.1 inch
Weight	[kg]	0.56	0.82
Panel orientation		Landscape	
Location of connect.		Extension cable with HDMI, USB-A, Power connection	
Location of OSD buttons		back side top	
Storage temperature	[°C] / [°F]	-20 ~ 60 / -4 ~ 140	
Operation temperature	[°C] / [°F]	-30 ~ 80 / -22 ~ 176	
Conformity		CE, FCC Class A, EU-RoHS	
Packaging		Single packaging for transport per parcel service	
Package Contents		Safety instructions, extension cable, IR-remote control, wall brackets	



IP6X 7.0 HB with PCAP Touch

IP6X 10.1 HB with PCAP Touch

All figures are typical values. The real values of the panel may vary. The optical characteristics are determined after the panel has been „ON“ for approximately 30 minutes at an ambient temperature of 25° C (77° F). Life time of the backlight is defined as the time to take until the brightness reduces to 50% of its original value.

Copyright 2024 FORTEC Integrated. Information in the document is subject to change without prior notice.

Interfaces



all views IP6X 7.0

IP6Xseries



extension cable for IP65



all views IP6X 10.1

Unser Unternehmensnetzwerk unterstützt Sie weltweit mit Niederlassungen in Deutschland, Österreich, der Schweiz, Großbritannien und den USA. Für weitere Informationen kontaktieren Sie bitte:

CONTACT

FORTEC GROUP

FORTEC Elektronik AG | Augsburg Str. 2b | 82110 Germering
+49 89 894450-0
info@fortecag.de | www.fortecag.de

FORTEC INTEGRATED

FORTEC Integrated GmbH | Augsburg Str. 2b | 82110 Germering
+49 89 894363-0
info@fortec-integrated.de | www.fortec-integrated.de

FORTEC EGYPT

FORTEC Electronic Design and Solutions Egypt SMLC | Linx Business Park | Unit B318
Smart Village | Giza Governorate
+49 89 894363-0
info@fortec-integrated.de | www.fortec-integrated.de

FORTEC POWER

FORTEC Power GmbH | Lise-Meitner-Straße 3 | 64560 Riedstadt
+49 6158 8285-0
weborder@fortec-power.de | www.fortec-power.de

AUTRONIC Steuer und Regeltechnik GmbH | Siemensstraße 17 |
74343 Sachsenheim
+49 7147 24-0
vertrieb@autronic.de | www.autronic.de

FORTEC Integrated | info@fortec-integrated.de | www.fortec-integrated.de

FORTEC CZECH REPUBLIC

FORTEC Czech Republic s.r.o. | Přátelství 275 | 330 02 Dýšina
+42 0377 845878
info@fortec.cz | www.fortec.cz

FORTEC SWITZERLAND

FORTEC Switzerland AG | Bahnhofstraße 3 | 5436 Würenlos
+41 44 7446111
info@fortec.ch | www.fortec.ch

FORTEC UNITED KINGDOM

FORTEC Technology UK Ltd. | Osprey House | 1 Osprey Court
Hinchingbrooke Business Park | Huntingdon | Cambridgeshire | PE29 6FN
+44 1480 411600
info@fortec.uk | www.fortec.uk

FORTEC UNITED STATES

FORTEC US, Corp. | 87 Raynor Avenue Unit 1 | Ronkonkoma | NY | 11779
+1 631 5804360
info@fortec.us | www.fortec.us

DISPLAYS | MONITORS | EMBEDDED | POWER SUPPLIES