



OUR GLOBAL  
COMPETENCE  
CENTRES

 APOLLO DISPLAY  
TECHNOLOGIES



 DISTEC



 DISPLAY  
TECHNOLOGY



# Datasheet

## Distec

**POS-RP-070-00-PRO**

**7" Touch Display**

MO-06-008 (MO-06-058, MO-06-078)



**PRO**SERIES

Version 1.5

13.09.2023



---

The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

---

## Table of Contents

1	Revision History .....	4
2	Description .....	5
3	Characteristics .....	6
3.1	Interfaces .....	6
3.2	OSD Keypad .....	6
4	Mechanical Drawing .....	7
5	Optional Accessories .....	8
5.1	Overview .....	8
5.2	Mounting Frame .....	9
5.2.1	Mounting instruction .....	10

## 1 Revision History

Date	Rev.No.	Description	Page
27.02.2020	0.1	Preliminary Version	All
08.07.2020	0.2	Operating temperature changed from 0°C - +50°C to <b>-20°C - +70°C</b> , updated last page	6, 11
07.08.2020	0.3	Added picture	2
13.01.2021	0.4	Revised description, order of characteristics and new cover/last page	5, 6
01.03.2021	0.5	Illustration OSD Keypad added	6
20.05.2021	1.0	<b>Release Version</b> (logos added), WebPoster, VideoPoster	All
12.07.2021	1.1	Software Flyer added	5
27.07.2021	1.2	New template	All
08.09.2021	1.3	Optional Accessories: Overview	8
21.03.2023	1.4	12-24V	5-6
13.09.2023	1.5	12/24V	5-6

## 2 Description

Distec's 7" POS-RP-070-00-PRO is a CE certified/IP65 proof front monitor solution, featuring the Raspberry Pi CM3+ based TFT platform Artista-IoT. Therefore, it is the perfect solution for Industry 4.0 and Internet of Things projects.

Its robust but slim cover offers all options for integration and various applications. The POS-RP-070-00-PRO is equipped with an industrial high-brightness display and is designed for long term availability.

### The POS-RP Series features:

- an integrated 10 finger PCAP touchscreen
- integrated passive cooling, which allows operating the system under full load even at high ambient temperatures
- VESA Mounting holes for using it as an HMI, mounted on a swivel arm or monitor stand
- As Option: in-wall mounting frame for a variety of integrations in concrete, wooden, or drywall constructions

### Artista-IoT offers all advantages of a modern ARM processor platform:

- driven by single 12/24V power supply (24V in development)
- in comparison to RaspberryPi standard industrial functions like Real-Time-Clock and others
- Basis configuration: CM3+/8GB (optional 16GB or 32GB)
  - Note: Due to the market situation, Distec reserves the right to install the respective CM3 + module available on the market in the series so that the delivery capability of the POS-XX-PRO series can be improved
- Standard configuration: Raspian
- LAN, HDMI-IN 1.4, 2xUSB as front interfaces, Micro-SD card reader
- An OSD keypad for full access to OSD menu board (→ [PrismaMedia-Eco Datasheet](#))
- *As Option:* Wireless - or Bluetooth adapters to be connected via LAN or USB

### Available Software:

The Monitors with VideoPoster or WebPoster as optional Application-Software can be ordered with the following part no MO-06-058 (VP) or MO-06-078 (WP).


Users are able to program their own applications on a Raspberry Pi basis or using all operating systems and application programs, which are supplied and supported by the large community.

More details regarding available application software and operating systems can be found in the [flyer](#).


### 3 Characteristics

Items	Unit	Specification
Screen Diagonal	[inch]	7
Pixels H x V		1280x800
Supported Colors		16.7M (8bit color)
Brightness	[cd/m <sup>2</sup> ]	500
Viewing Angle	u/d/l/r	85/85/85/85
Nominal Input Voltage	[V]	12/24
Typical Power Consumption	[W]	7.0
Electrical Interface		USB, Audio, SD Card, Ethernet RJ45, HDMI
PCAP Touchscreen Touchpoints	finger	10
Storage Temperature	[°C]	-30 to +80
Operating Temperature Range	[°C]	-20 to +70
IP rating		Front IP65
Physical Size H x V x D	[mm]	139.6x200.6x34
Active Area H x V	[mm]	93.6x149.76
Weight	[kg]	1.0


#### 3.1 Interfaces



#### 3.2 OSD Keypad



## 4 Mechanical Drawing




## 5 Optional Accessories

### 5.1 Overview

<b>Mounting</b>		
In-Wall Mounting Frame	MK-06-014	POS-RP-070-00-PRO In-Wall mounting Frame
<b>Power Supply Unit</b>		
PSU 12V/5A	NT-01-062	AC Adapter CWT KPL-060F-VI(C14/12V5A)2,1
Power Cord EU	DB-07-225	IEC PowerCord (EU-C13) 3x0,75 black 1,8m
Power Cord UK	DB-07-226	Power Cord (UK - C13) black 1,8m
Power Cord USA	DB-07-238	Power Cord (US-C13) black 1,8m/6 feet
<b>Other</b>		
WiFi	PC-05-071	DELOCK 12462 WLAN Stick/Antenna USB 2.0
Micro SD-Card	PC-04-030	microSDHC CARD 16GB SANDISK ULTRA 80MB/S



## 5.2 Mounting Frame



## 5.2.1 Mounting instruction

**The enclosed snappers must be pre-assembled on the basic unit**

11,2

2 x snapper mounted with Countersunk M4x6

**Mounting dry wall/cement**

cutout depth 42,0mm

194,6

130,5

mounting holes

**Mounting on plate (frontmount)**

194,6

130,5

Front mounting only with double-sided adhesive tape

**rigid mounting option (no snap solution) use of distance bolts M4x12 and screws M4 (Only accessible for installation of the device from behind)**

**Additional mounting options via side holes and threads**

**Additional mounting options via side holes and threads**

000	Entwurf / 1ST ISSUE	11.08.2019	AD1	000	000
001	Änderung / 2ND ISSUE	11.08.2019	AD1	001	001
002	Änderung / 3RD ISSUE	11.08.2019	AD1	002	002
003	Änderung / 4TH ISSUE	11.08.2019	AD1	003	003
004	Änderung / 5TH ISSUE	11.08.2019	AD1	004	004
005	Änderung / 6TH ISSUE	11.08.2019	AD1	005	005
006	Änderung / 7TH ISSUE	11.08.2019	AD1	006	006
007	Änderung / 8TH ISSUE	11.08.2019	AD1	007	007
008	Änderung / 9TH ISSUE	11.08.2019	AD1	008	008
009	Änderung / 10TH ISSUE	11.08.2019	AD1	009	009
010	Änderung / 11TH ISSUE	11.08.2019	AD1	010	010
011	Änderung / 12TH ISSUE	11.08.2019	AD1	011	011
012	Änderung / 13TH ISSUE	11.08.2019	AD1	012	012
013	Änderung / 14TH ISSUE	11.08.2019	AD1	013	013
014	Änderung / 15TH ISSUE	11.08.2019	AD1	014	014
015	Änderung / 16TH ISSUE	11.08.2019	AD1	015	015
016	Änderung / 17TH ISSUE	11.08.2019	AD1	016	016
017	Änderung / 18TH ISSUE	11.08.2019	AD1	017	017
018	Änderung / 19TH ISSUE	11.08.2019	AD1	018	018
019	Änderung / 20TH ISSUE	11.08.2019	AD1	019	019
020	Änderung / 21TH ISSUE	11.08.2019	AD1	020	020
021	Änderung / 22TH ISSUE	11.08.2019	AD1	021	021
022	Änderung / 23TH ISSUE	11.08.2019	AD1	022	022
023	Änderung / 24TH ISSUE	11.08.2019	AD1	023	023
024	Änderung / 25TH ISSUE	11.08.2019	AD1	024	024
025	Änderung / 26TH ISSUE	11.08.2019	AD1	025	025
026	Änderung / 27TH ISSUE	11.08.2019	AD1	026	026
027	Änderung / 28TH ISSUE	11.08.2019	AD1	027	027
028	Änderung / 29TH ISSUE	11.08.2019	AD1	028	028
029	Änderung / 30TH ISSUE	11.08.2019	AD1	029	029
030	Änderung / 31TH ISSUE	11.08.2019	AD1	030	030
031	Änderung / 32TH ISSUE	11.08.2019	AD1	031	031
032	Änderung / 33TH ISSUE	11.08.2019	AD1	032	032
033	Änderung / 34TH ISSUE	11.08.2019	AD1	033	033
034	Änderung / 35TH ISSUE	11.08.2019	AD1	034	034
035	Änderung / 36TH ISSUE	11.08.2019	AD1	035	035
036	Änderung / 37TH ISSUE	11.08.2019	AD1	036	036
037	Änderung / 38TH ISSUE	11.08.2019	AD1	037	037
038	Änderung / 39TH ISSUE	11.08.2019	AD1	038	038
039	Änderung / 40TH ISSUE	11.08.2019	AD1	039	039
040	Änderung / 41TH ISSUE	11.08.2019	AD1	040	040
041	Änderung / 42TH ISSUE	11.08.2019	AD1	041	041
042	Änderung / 43TH ISSUE	11.08.2019	AD1	042	042
043	Änderung / 44TH ISSUE	11.08.2019	AD1	043	043
044	Änderung / 45TH ISSUE	11.08.2019	AD1	044	044
045	Änderung / 46TH ISSUE	11.08.2019	AD1	045	045
046	Änderung / 47TH ISSUE	11.08.2019	AD1	046	046
047	Änderung / 48TH ISSUE	11.08.2019	AD1	047	047
048	Änderung / 49TH ISSUE	11.08.2019	AD1	048	048
049	Änderung / 50TH ISSUE	11.08.2019	AD1	049	049
050	Änderung / 51TH ISSUE	11.08.2019	AD1	050	050
051	Änderung / 52TH ISSUE	11.08.2019	AD1	051	051
052	Änderung / 53TH ISSUE	11.08.2019	AD1	052	052
053	Änderung / 54TH ISSUE	11.08.2019	AD1	053	053
054	Änderung / 55TH ISSUE	11.08.2019	AD1	054	054
055	Änderung / 56TH ISSUE	11.08.2019	AD1	055	055
056	Änderung / 57TH ISSUE	11.08.2019	AD1	056	056
057	Änderung / 58TH ISSUE	11.08.2019	AD1	057	057
058	Änderung / 59TH ISSUE	11.08.2019	AD1	058	058
059	Änderung / 60TH ISSUE	11.08.2019	AD1	059	059
060	Änderung / 61TH ISSUE	11.08.2019	AD1	060	060
061	Änderung / 62TH ISSUE	11.08.2019	AD1	061	061
062	Änderung / 63TH ISSUE	11.08.2019	AD1	062	062
063	Änderung / 64TH ISSUE	11.08.2019	AD1	063	063
064	Änderung / 65TH ISSUE	11.08.2019	AD1	064	064
065	Änderung / 66TH ISSUE	11.08.2019	AD1	065	065
066	Änderung / 67TH ISSUE	11.08.2019	AD1	066	066
067	Änderung / 68TH ISSUE	11.08.2019	AD1	067	067
068	Änderung / 69TH ISSUE	11.08.2019	AD1	068	068
069	Änderung / 70TH ISSUE	11.08.2019	AD1	069	069
070	Änderung / 71TH ISSUE	11.08.2019	AD1	070	070
071	Änderung / 72TH ISSUE	11.08.2019	AD1	071	071
072	Änderung / 73TH ISSUE	11.08.2019	AD1	072	072
073	Änderung / 74TH ISSUE	11.08.2019	AD1	073	073
074	Änderung / 75TH ISSUE	11.08.2019	AD1	074	074
075	Änderung / 76TH ISSUE	11.08.2019	AD1	075	075
076	Änderung / 77TH ISSUE	11.08.2019	AD1	076	076
077	Änderung / 78TH ISSUE	11.08.2019	AD1	077	077
078	Änderung / 79TH ISSUE	11.08.2019	AD1	078	078
079	Änderung / 80TH ISSUE	11.08.2019	AD1	079	079
080	Änderung / 81TH ISSUE	11.08.2019	AD1	080	080
081	Änderung / 82TH ISSUE	11.08.2019	AD1	081	081
082	Änderung / 83TH ISSUE	11.08.2019	AD1	082	082
083	Änderung / 84TH ISSUE	11.08.2019	AD1	083	083
084	Änderung / 85TH ISSUE	11.08.2019	AD1	084	084
085	Änderung / 86TH ISSUE	11.08.2019	AD1	085	085
086	Änderung / 87TH ISSUE	11.08.2019	AD1	086	086
087	Änderung / 88TH ISSUE	11.08.2019	AD1	087	087
088	Änderung / 89TH ISSUE	11.08.2019	AD1	088	088
089	Änderung / 90TH ISSUE	11.08.2019	AD1	089	089
090	Änderung / 91TH ISSUE	11.08.2019	AD1	090	090
091	Änderung / 92TH ISSUE	11.08.2019	AD1	091	091
092	Änderung / 93TH ISSUE	11.08.2019	AD1	092	092
093	Änderung / 94TH ISSUE	11.08.2019	AD1	093	093
094	Änderung / 95TH ISSUE	11.08.2019	AD1	094	094
095	Änderung / 96TH ISSUE	11.08.2019	AD1	095	095
096	Änderung / 97TH ISSUE	11.08.2019	AD1	096	096
097	Änderung / 98TH ISSUE	11.08.2019	AD1	097	097
098	Änderung / 99TH ISSUE	11.08.2019	AD1	098	098
099	Änderung / 100TH ISSUE	11.08.2019	AD1	099	099

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA. For more information please contact:

## Headquarters

### Germany



#### FORTEC Elektronik AG

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894450-0  
E-Mail: [info@fortecag.de](mailto:info@fortecag.de)  
Internet: [www.fortecag.de](http://www.fortecag.de)

## Fortec Group Members

### Austria



#### Distec GmbH Office Vienna

Nuschingasse 12  
1230 Wien

Phone: +43 1 8673492-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Germany



#### Distec GmbH

Augsburger Str. 2b  
82110 Germering

Phone: +49 89 894363-0  
E-Mail: [info@distec.de](mailto:info@distec.de)  
Internet: [www.distec.de](http://www.distec.de)

### Switzerland



#### ALTRAC AG

Bahnhofstraße 3  
5436 Würenlos

Phone: +41 44 7446111  
E-Mail: [info@altrac.ch](mailto:info@altrac.ch)  
Internet: [www.altrac.ch](http://www.altrac.ch)

### United Kingdom



#### Display Technology Ltd.

Osprey House, 1 Osprey Court  
Hinchingsbrooke Business Park  
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600  
E-Mail: [info@displaytechnology.co.uk](mailto:info@displaytechnology.co.uk)  
Internet: [www.displaytechnology.co.uk](http://www.displaytechnology.co.uk)

### USA



#### Apollo Display Technologies, Corp.

87 Raynor Avenue, Unit 1  
Ronkonkoma, NY 11779

Phone: +1 631 5804360  
E-Mail: [info@apolloDisplays.com](mailto:info@apolloDisplays.com)  
Internet: [www.apolloDisplays.com](http://www.apolloDisplays.com)